

Used Products TotH - Root post - Zirconium oxide ceramics - Multilink Automix Multilink Automix The universal self-curing luting composite with optional light-curing OptraDam Anatomically shaped rubber dam for the absolute isolation of the working field Total Etch Total Etch is an etching gel containing 37% phosphoric acid



Flowchart Multilink Automix

TOOTH - Root post - Zirconium oxide ceramics - Multilink Automix

Preoperative situation



Relative isolation of the treatment field - preferrably with **OptraDam** or alternatively with absorbent pads and a saliva ejector - is indispensible.

The root post is tried in



The root post is tried in. If prefabricated posts are used, the excess length is determined and the post is shortened extraorally by means of rotating diamond grinding instruments.

3 The root post is pretreated



After try-in, the post is cleaned with alcohol or conditioned as directed by the manufacturer.

2





Monobond Plus is applied to the post with a brush or microbrush. It is allowed to react for 60 seconds. Subsequently, it is dispersed with a strong stream of air

4

The conditioned root canal is disinfected




Finally, the conditioned root canal is disinfected and dried with paper points.

Multilink Primer A/B and Multilink Automix are applied



The mixed **Multilink Primer A/B** is applied to the root canal and the occlusal surface of the prepared tooth with a fine microbrush (Vivadent Applicator Small) for about 15 seconds. Excess is removed from the canal with paper points and dispersed with a stream of air from the surface.



The root post prepared according to the instructions of the manufacturer is coated with the mixed **Multilink Automix**.




The root post is seated



The endodontic post is inserted, thus forcing out excess cement.



The cement can be distributed across the entire preparation surface for total coverage. Then Multilink Automix is lightcured for 20 sec. During this time, the post is held in place with the polymerization unit.



Materials that are opaque, in other words, impervious to light, should be allowed to self-cure. Multilink Automix serves as a bonding agent to the core build-up material.



Core build-up



The core build-up material (e.g. MultiCore Flow) is filled in the core coping. Subsequently, a small amount of the core build-up material is applied directly to Multilink Automix. The core coping is placed on the prepared tooth.

The core build-up material is cured according to the directions of the manufacturer.

Ivoclar Vivadent AG, Bendererstrasse 2, FL-9494 Schaan, Liechtenstein www.ivoclarvivadent.com, Phone +4232353535, Fax +4232353360 Please observe the respective Instructions for Use.

4



Core build-up is prepared in accordance with a ferrule design



The core coping is removed and the the core build-up is prepared in accordance with a ferrule design.

5